

TOP GLOVE

TOP QUALITY, TOP EFFICIENCY

More Than Just Gloves

Biogreen

BIODEGRADABLE CAST POLYETHYLENE (CPE) GLOVES



Tested for
biodegradability
according to
ASTM D5511
under defined
conditions

APPLICATION



Food
Handling



Hotel and
Catering



Beauty
and Salon



Cleaning and
Housekeeping



Painting





General Use


Specially formulated
to biodegrade
in biologically
active landfills


Non-skin irritant and
non-toxic which is free
from powder, protein and
plasticizer

Free from Type I Latex
Allergy & Type IV
Allergic [protein free &
chemical free]

 Odourless and food safe

 Protection for hygiene purposes

 Economical and easy to use

 Environmental friendly manufacturing process



Quality Standards

- Manufactured under ISO 9001:2015 Quality Management System
- Tested under ASTM D5511 method to determine anaerobic biodegradation

Glove Sizes

- Extra Small, Small, Medium, Large, Extra Large

Product Specifications

Type : Biodegradable Cast Polyethylene (CPE) Glove, Non Sterile

Material : Polyethylene Resin

Colour : Clear and Green

Design & : Ambidextrous, Embossed Outside

Features

Storage : The gloves shall maintain their properties when stored in a dry condition.
Avoid direct sunlight.

Shelf-life : 3 years from the date of manufacturing

Physical Dimension

Description	Standards		
	Size	AJ01	UE11
		CP14 / CP16	CP14 / CP16
Length (mm)	XS S M L XL	Min. 250 Min. 270 Min. 270 Min. 270 N/A	N/A Min. 265 Min. 270 Min. 270 Min. 270
Palm Width (mm)	XS S M L XL	120 ± 5 130 ± 5 145 ± 5 150 ± 5 N/A	N/A 110 ± 3 115 ± 3 120 ± 3 140 ± 3
Glove Width (mm)	XS S M L XL	190 to 200 210 to 220 235 to 245 245 to 255 N/A	N/A 200 to 210 220 to 230 225 to 235 245 to 255
Middle Finger Length (mm)	XS S M L XL	69 ± 1 76 ± 1 83 ± 1 84 ± 1 N/A	N/A
Thickness (mm / mil) Before Embossed	All Sizes	Finger, Palm & Cuff: CP14: 0.023mm +/- 0.002 (0.92 mil +/- 0.08) CP16: 0.025mm +/- 0.002 (1.00 mil +/- 0.08)	

Physical Properties

Description	Standard	
	Before Aging	After Aging
Elongation at Break (%)	Min 200	Min 200
Max Force at Yield (N/m)	Min 280	Min 280

If you have any enquiries on our products, please contact :

TOP GLOVE SALES & CORPORATE OFFICE

Top Glove Tower, 16, Persiaran Setia Dagang, Setia Alam, Seksyen U13, 40170 Shah Alam, Selangor D.E., Malaysia.

+603 3362 3098

+603 3362 5096 (Sales)

SCAN FOR
MORE PRODUCT
INFORMATION



SCAN TO PROVIDE
FEEDBACK AND
VISIT OUR WEBSITE



sales@topglove.com.my

https://www.facebook.com/topglovecorp

www.topglove.com